

# Idaho

## Population

- 0.5 % of US population
- 0.6% blacks/African Americans, 11.2% Hispanics/Latinos, 84.0% whites, and 4.2% other races/ethnicities

## HIV Diagnoses

- 29 diagnoses, 2013
  - 0.1% of diagnoses made in the US, 2013
- 843 persons living with diagnosed HIV infection, 2012
  - 0.1% of persons living with diagnosed HIV infection in the US, 2012

## Progress toward HIV Prevention and Care Objectives

| Indicator: Objective  | National 2015 Goal | Year 1 Baseline | Year 2         | Year 3 | Improved Year 3 vs. Year 1 | State Ranking Year 3 | Met 2015 Goal in Year 3 |
|---|--------------------|-----------------|----------------|--------|----------------------------|----------------------|-------------------------|
| <b>PREVENT NEW HIV INFECTIONS</b>   |                    |                 |                |        |                            |                      |                         |
| Increase HIV testing (ever tested) by 4%, 2011-2013                                       | 44.2               | 33.5            | 33.0           | 34.6   |                            | 44 of 51             |                         |
| Increase knowledge of HIV status to 90%, 2010-2012  | 90.0               | - <sup>a</sup>  | -              | -      |                            | - of 42              |                         |
| Reduce late-stage HIV diagnosis by 25%, 2011-2013   | 19.1               | 30.8            | 28.6           | 31.0   |                            | 39 of 51             |                         |
| <b>INCREASE ACCESS TO HIV CARE AND IMPROVE HEALTH OUTCOMES</b>                            |                    |                 |                |        |                            |                      |                         |
| Increase linkage to HIV medical care to 85%, 2011-2013                                    | 85.0               | NA              | NA             | NA     |                            | - of 28              |                         |
| Increase retention in HIV medical care by 10%, 2010-2012                                  | 56.0               | NA              | NA             | NA     |                            | - of 28              |                         |
| Increase viral suppression among persons in HIV medical care by 10%, 2010-2012            | 80.0               | NA              | NA             | NA     |                            | - of 28              |                         |
| Decrease the death rate among HIV-diagnosed persons (per 1,000 persons) by 10%, 2010-2012 | 21.7               | 15.0            | 9.2            | 23.6   |                            | 46 of 51             |                         |
| <b>REDUCE HIV-RELATED DISPARITIES AND HEALTH INEQUITIES</b>                               |                    |                 |                |        |                            |                      |                         |
| Increase HIV testing (ever tested) among race/ethnicity groups by 4%, 2011-2013           |                    |                 |                |        |                            |                      |                         |
| Blacks/African Americans  | 68.8               | - <sup>a</sup>  | -              | -      |                            | - of 40              |                         |
| Hispanics/Latinos   | 46.6               | 39.4            | - <sup>a</sup> | 36.9   |                            | 38 of 39             |                         |
| Whites  | 39.6               | 31.8            | 33.5           | 34.1   |                            | 35 of 51             |                         |
| Persons of other races/ethnicities  | 40.7               | 48.3            | - <sup>a</sup> | -      |                            | - of 39              |                         |
| Reduce late-stage HIV diagnosis among race/ethnicity groups by 25%, 2011-2013             |                    |                 |                |        |                            |                      |                         |
| Blacks/African Americans  | 17.6               | 33.3            | 0.0            | 0.0    |                            | 1 of 51              | ✓                       |
| Hispanics/Latinos   | 21.6               | 16.7            | 40.0           | 0.0    |                            | 1 of 51              | ✓                       |
| Whites  | 19.5               | 32.1            | 29.6           | 40.9   |                            | 44 of 51             |                         |
| Persons of other races/ethnicities  | 20.4               | 50.0            | 0.0            | 0.0    |                            | 1 of 49              | ✓                       |

Note. For information on indicator definitions and data sources, see [Technical Notes](#).

Abbreviation: PLWH, persons living with diagnosed HIV infection; NA, not available.

✓ = Yes: improved since baseline (chi-square  $p < 0.05$  or  $> 5\%$  change); met 2015 goal.

<sup>a</sup> Average  $n < 60$  diagnoses per year for 2008-2012 (Knowledge of HIV-positive status) or  $n < 30$  or relative standard error  $> 0.3$  (BRFSS).